

REVISIONS

REV	DESCRIPTION OF REVISION	ECN No.	DATE	APPROVED
A	INITIAL RELEASE	—	12/11/2018	M. Dong

TECHNICAL DATA

Electrical

Impedance 50 Ω
 Frequency range 0~3 GHz
 Withstanding voltage ≥2500V
 Insulation resistance ≥5000MΩ

Mechanical & Environmental


Durability (matings) >500
 Temperature range -65 °C ~ +165 °C
 RoHS Compliant Yes

Material & Finish

Body Brass, Albaloy-plated
 Pin Contact Phosphor Bronze, Silver-plated
 Insulator PTFE
 Gasket Silicone Rubber

Interface Standards

N IEC 60169-16
 4.3-10 IEC61169-54



NOTES:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS (INCHES).
 UNLESS OTHERWISE SPECIFIED DIMENSIONAL TOLERANCES ARE:

.XX ±0.13 [.005"]
 .X ±0.20 [.008"]
 X ±0.50 [.019"]

ANGULAR TOLERANCES ARE: ALL= ±1°

DO NOT SCALE DRAWING

PROJECTION:

DRAWN:	L. Ma	12/11/2018
CHECKED:	J. Zhu	12/11/2018
APPROVED:	M. Dong	12/11/2018

TITLE:
Adapter, N Female to 4.3/10 Male



Cmptter Electronics Co., Ltd. www.cmptter.com

PART No.:
A-NF-4.310M-351

SIZE: A4	SCALE: 2:1	SHEET: 1/1	REV: A
-------------	---------------	---------------	-----------