

REV	DESCRIPTION OF REVISION	ECN No.	BY	DATE	APPROVED
A	INITIAL RELEASE	—	L. Ma	07/01/10	07/01/10

TECHNICAL DATA

■ Electrical data

Impedance 50 Ω
Frequency range 0~11 GHz
VSWR 1.15:1

■ Mechanical data


Temperature range -55 °C ~ +165 °C
Durability (matings) >500

■ Material data

Body Stainless Steel (SU303), Passivated
Pin Contact Beryllium Copper Alloy, Gold-plated
Insulator PEI, PTFE




■ Interface Standards

TNC MIL-STD-348A



NOTES:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

DRAWN: L. Ma 07/01/10		TITLE: Precision Adapter, TNC Male to TNC Male		 www.cmp ter.com							
ENGINEER: J. Zhu 07/01/10											
APPROVED: M. Dong 07/01/10											
TOLERANCE UNLESS OTHERWISE SPECIFIED		 DIMENSIONS IN MILLIMETERS (mm)		 DIMENSIONS IN MILLIMETERS (mm)							
X ±0.50 [.019"] .X ±0.20 [.008"] .XX ±0.10 [.004"] ANGLES ±1°						PART No.: P-TNCM-TNCM-191		SIZE: A4		SCALE: 2.5:1	